

|   |  |   |                    |                  |
|---|--|---|--------------------|------------------|
| Patient ID<br><b>SA00105411</b>   | Patient Name<br><b>TESTINGRNVCAI, NORMAL F</b> | Birth Date<br><b>1989-06-01</b>             | Gender<br><b>M</b> | Age<br><b>28</b> |
| Order Number<br><b>SA00105411</b>   | Client Order Number<br><b>SA00105411</b>       | Ordering Physician<br><b>Client, Client</b> | Report Notes       |                  |
| Account Information<br><b>C7036729 Mayo Medical Laboratories - SI Unit Tes...</b> |  | Collected<br><b>22 Mar 2018 00:00</b>       |                    |                  |

**Calcium, Ionized, S**
**1 MCR**
**5.31 mg/dL**
**Reference Value**  
4.57–5.43 mg/dL

Ionized calcium result has been adjusted to pH 7.40 to account for changes in specimen pH that may occur during transport. Ionized calcium concentration increases approximately 0.2 mg/dL per 0.1 pH unit decrease.

**SI Unit Conversions**

|               |                        |
|---------------|------------------------|
| <b>Result</b> | <b>Reference Value</b> |
| 1.33 mmol/L   | 1.14–1.36 mmol/L       |

**Received:** 23 Mar 2018 08:54

**Reported:** 23 Mar 2018 08:54

**Laboratory Notes**

- 1** This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

| Code | Laboratory                                       | Address                                  | Lab Director                | CLIA Certificate |
|------|--|--|-----------------------------|------------------|
| MCR  | Mayo Clinic Laboratories - Rochester Main Campus | 200 First Street SW, Rochester, MN 55905 | William G. Morice M.D. Ph.D | 24D0404292       |