

Patient ID SA00150623	Patient Name SAMPLEREPORT, FHVM	Birth Date 2000-06-07	Sex F	Age 21
Order Number SA00150623	Client Order Number SA00150623	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 08 Feb 2022 13:00		

Hantavirus Antibody (IgG, IgM)

Hantavirus Ab (IgG)
Y038
NEGATIVE
Hantavirus Ab (IgM)
Y038
NEGATIVE

REFERENCE RANGE: NEGATIVE

This assay detects antibodies against recombinant Hantavirus antigens of both old world and new world Hantavirus types. The immune response to Hantavirus infection is not type-specific, and thus cross-reactivity

may occur. All Hantavirus IgM-positive samples from US residents will be sent to a Public Health Laboratory for Sin Nombre Virus (SNV)-specific IgM testing. Samples that are Hantavirus IgG positive but IgM negative will not be subjected to further type-specific testing, since the lack of IgM rules out acute infection.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Received: 09 Feb 2022 08:04

Reported: 10 Feb 2022 12:56

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y038	Quest Diagnostics	33608 Ortega Highway, San Juan Capistrano, CA 92675		