

Patient ID SA00144391	Patient Name TESTINGRNV, IBDP2-NORM	Birth Date 1995-01-01	Gender F	Age 26
Order Number SA00144391	Client Order Number SA00144391	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 May 2021 00:00		

Inflammatory Bowel Disease Panel, S

Cytoplasmic Neutrophilic Ab IBD, S

ANCA2 Interpretation

Negative for *S. cerevisiae* antibodies and pANCA. This test should not be relied upon exclusively to establish a diagnosis of inflammatory bowel disease (IBD). Approximately 50% of individuals with IBD are negative for IgA and IgG *S. cerevisiae* and pANCA. Correlation of clinical symptoms, endoscopy and biopsy findings are required to establish the diagnosis.

1 SDL

Cytoplasmic Neutrophilic Ab IBD, S

Negative

SDL

Reference Value
Negative

Saccharomyces cerevisiae Ab, IgA, S

19.9 RU/mL

1 SDL

Reference Value
<20.0 (Negative)

Saccharomyces cerevisiae Ab, IgG, S

<2.0 RU/mL

1 SDL

Reference Value
<20.0 (Negative)

Received: 03 May 2021 17:28

Reported: 03 May 2021 17:46

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592