



Patient ID <b>SA00156946</b>	Patient Name <b>TESTINGRNV, MOLD1 NORMAL</b>	Birth Date <b>1980-09-07</b>	Sex <b>M</b>	Age <b>42</b>
Order Number <b>SA00156946</b>	Client Order Number <b>SA00156946</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>15 Jan 2023 00:00</b>		

**Mold Panel**

<0.10 kU/L

Class 0 (Negative <0.10)

**ADDITIONAL INFORMATION**

- Mold Panel:
- Penicillium notatum
- Cladosporium herbarum
- Aspergillus fumigatus
- Candida albicans
- Alternaria alternata
- Helminthosporium halodes

**Received:** 17 Jan 2023 11:52

**Reported:** 17 Jan 2023 11:52

**SDL**  
**Reference Value**  
<0.70

Test Environment  
Standard Template

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592