

Patient ID <b>SA00076826</b>	Patient Name <b>TESTINGRNV, MUSK N</b>	Birth Date <b>1966-06-22</b>	Gender <b>M</b>	Age <b>50</b>
Order Number <b>SA00076826</b>	Client Order Number <b>SA00076826</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>13 Jul 2016 00:00</b>		

## MuSK Autoantibody, S

Result Name	Result	Unit	Reference Value	Performing Site
MuSK Autoantibody, S	0.00	nmol/L	0.00–0.02	<b>1</b> MCR

**Received:** 14 Jul 2016 10:05

**Reported:** 14 Jul 2016 10:08

Test Environment  
ETAB Template

### Laboratory Notes

- 1** This test was developed using an analyte specific reagent. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292