

Patient ID <b>SA00142949</b>	Patient Name <b>TESTINGRNV, SAMPLEREPOR</b>	Birth Date <b>1982-06-29</b>	Gender <b>F</b>	Age <b>38</b>	
Order Number <b>SA00142949</b>	Client Order Number <b>SA00142949</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes		
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>03 Mar 2021 07:00</b>			

## Sterols, P

### Interpretation

\*NEGATIVE\* In this sample, the sterol profile was normal.

### ADDITIONAL INFORMATION

Gas Chromatography-Mass Spectrometry (GC/MS)

### 7-Dehydrocholesterol

2.0 mg/L

MCR  
Reference Value  
≤2.0

### 8-Dehydrocholesterol

0.3 mg/L

MCR  
Reference Value  
≤0.3

### 8(9)-Cholestenol

5.0 mg/L

MCR  
Reference Value  
≤5.0

### Campesterol

8.0 mg/L

MCR  
Reference Value  
≤8.0

### Cholestanol

6.0 mg/L

MCR  
Reference Value  
≤6.0

### Desmosterol

2.5 mg/L

MCR  
Reference Value  
≤2.5

### DiHydro T-MAS

0.3 mg/L

MCR  
Reference Value  
≤0.3

### Lathosterol

6.0 mg/L

MCR  
Reference Value  
≤6.0

### Sitosterol

15.0 mg/L

MCR  
Reference Value  
≤15.0

### Squalene

1.0 mg/L

MCR  
Reference Value  
≤1.0

### Stigmasterol

0.5 mg/L

MCR  
Reference Value  
≤0.5

### Reviewed By

Amy Breitlow

MCR

Received: 04 Mar 2021 06:58

Reported: 04 Mar 2021 07:13

### Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292