

Patient ID <b>SA00069665</b>	Patient Name <b>SAMPLETESTING, TICKS</b>	Birth Date <b>1966-06-10</b>	Gender <b>F</b>	Age <b>48</b>
Order Number <b>SA00069665</b>	Client Order Number <b>SA00069665</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>20 Aug 2014 00:00</b>		

## Tick-Borne Ab Panel, S

### Ehrlichia Chaffeensis (HME) Ab, IgG

<1:64 titer

1 SDL

Reference Value  
<1:64

### Anaplasma phagocytophilum Ab, IgG,S

<1:64 titer

1 SDL

Reference Value  
<1:64

### Babesia microti IgG Ab, S

<1:64 titer

1 SDL

Reference Value  
<1:64

### Lyme Disease Serology, S

SDL

**Negative**

Reference Value  
Negative

No evidence of antibodies to *B. burgdorferi* detected. False negative results may occur in recently infected patients ( $\leq 2$  weeks) due to low or undetectable antibody levels to *B. burgdorferi*. If recent exposure is suspected, a second sample should be collected and tested in 2–4 weeks.

Received: 21 Aug 2014 14:09

Reported: 21 Aug 2014 14:12

### Laboratory Notes

- 1 Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592