

Patient ID SA00154712	Patient Name NORMAL, VZIKM	Birth Date 2000-05-05	Sex F	Age 22
Order Number SA00154712	Client Order Number SA00154712	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Oct 2022 11:00		

Zika Virus MAC-ELISA, IgM, S

Negative

SDL
Reference Value
Negative

No evidence of IgM-class antibodies to Zika virus (ZIKV). For specimens collected less than 7 days post symptom onset or possible ZIKV exposure, RT-PCR for ZIKV on serum and urine to exclude a false negative ZIKV IgM result is recommended. For symptomatic patients with travel to dengue endemic areas, testing for IgM antibodies to dengue virus is also recommended.

For the most recent CDC guidelines for Zika virus testing visit:
<https://www.cdc.gov/zika/hc-providers/testing-guidance.html>
 and/or
<https://www.mayocliniclabs.com/articles/resources/algorithms.html>

Received: 07 Oct 2022 08:39

Reported: 07 Oct 2022 09:02

Test
 Environment
 Standard Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D.	24D1040592