

Patient ID 321	Patient Name TESTRNV, IMPLEMENTATION	Birth Date 1968-02-19	Sex M	Age 55
Order Number X100417205	Client Order Number X100417205	Ordering Physician UNKNOWN, PROVIDER	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 Apr 2023 10:00		

Autoimmune Liver Disease Panel, S

Mitochondrial Ab, M2, S

<0.1 U

SDL
Reference Value
<0.1 (Negative)

Antinuclear Ab, HEp-2 Substrate, S

<1:80 Negative

SDL
Reference Value
<1:80 Negative

ADDITIONAL INFORMATION

Method: Immunofluorescence using HEp-2 cellular substrate.

Smooth Muscle Ab Screen, S

Negative

Negative: No further testing will be performed

Received: 11 Apr 2023 09:29

Reported: 11 Apr 2023 09:31

1 SDL
Reference Value
Negative

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592