



Patient ID <b>SA00144058</b>	Patient Name <b>SAMPLE REPORT, FC3AR N</b>	Birth Date <b>1974-12-31</b>	Gender <b>F</b>	Age <b>46</b>
Order Number <b>SA00144058</b>	Client Order Number <b>SA00144058</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>08 Apr 2021 00:00</b>		

**C3a Level**

**480 ng/mL**

**Y081**

**Reference Value  
0-780**

This test uses a kit/reagent designated by the manufacturer as for research use, not for clinical use. The performance characteristics of this test have been validated by National Jewish Health. It has not been cleared or approved by the U.S. Food and Drug Administration. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing.

**Received:** 09 Apr 2021 13:52

**Reported:** 09 Apr 2021 18:15

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y081	National Jewish Health	Advanced Diagnostic Laboratories, 1400 Jackson Street, Denver, CO 80206		