

Patient ID SA00096114	Patient Name TESTINGRNV, SAMPLEREPOR	Birth Date 1982-06-29	Gender F	Age 35
Order Number SA00096114	Client Order Number SA00096114	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Aug 2017 11:00		

Carnitine, S

Total	MCR	AC/FC Ratio	MCR
60 nmol/mL	Reference Value 34-78	0.3	Reference Value 0.1-0.8
Free (FC)	MCR	Interpretation	1 MCR
45 nmol/mL	Reference Value 25-54	In this sample, the carnitine profile was normal.	
Acylcarnitine (AC)	MCR	Received: 22 Aug 2017 12:50	Reported: 22 Aug 2017 14:50
15 nmol/mL	Reference Value 5-30		

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292