



Patient ID SA00993306	Patient Name TESTINGRNV, REPORTS NORM	Birth Date 1976-08-16	Sex M	Age 45
Order Number SA00993306	Client Order Number SA00993306	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 31 Jul 2022 07:01		

Inhibin B, S

20 pg/mL

1 **SDL**

Reference Value
<358

ADDITIONAL INFORMATION

The testing method is a manual immunoenzymatic assay manufactured by Ansh Labs. Values obtained with different assay methods or kits may be different and cannot be used interchangeably. If this test is being ordered as a tumor marker, results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Received: 01 Aug 2022 08:53

Reported: 01 Aug 2022 09:00

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D.	24D1040592