

Patient ID SA00141802	Patient Name RNVTESINGVALIDATION, NORMAL F	Birth Date 1992-09-14	Gender F	Age 28
Order Number SA00141802	Client Order Number SA00141802	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 26 Jan 2021 00:00		

SARS-CoV-2 Nucleocapsid Total Ab, S

SARS-CoV-2 Nucleocapsid Total Ab, S

MCR

Negative

Reference Value
Negative

No antibodies to SARS-CoV-2 detected. Negative results may occur in serum collected too soon following infection, in immunosuppressed patients or in patients with mild or asymptomatic infection. This test does not rule out active or recent COVID-19 infection and will not detect SARS-CoV-2 vaccine-induced antibodies. Follow up testing with a molecular test is recommended in symptomatic patients.

ADDITIONAL INFORMATION

Testing was performed using the Roche Elecsys Anti-SARS-CoV-2 Reagent assay from Roche Diagnostics, which has received Emergency Use Authorization(EUA) by the U.S. Food and Drug Administration.

Fact sheets for this Emergency Use Authorization (EUA) assay can be found at the following links:

For Healthcare Providers:

<https://www.fda.gov/media/137603/download>

For Patients:

<https://www.fda.gov/media/137604/download>

Patient's Race

MCR

White

Patient's Ethnicity

MCR

Not Hispanic or Latino

Received: 26 Jan 2021 06:32

Reported: 26 Jan 2021 06:33

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292