

Patient ID SA00145657	Patient Name TESTING LIPA1, NORMAL	Birth Date 1992-03-17	Gender F	Age 29
Order Number SA00145657	Client Order Number SA00145657	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 29 Jul 2021 00:00		

Lipoprotein(a), S
10 nmol/L
1 MCR
**Reference Value
<75**
ADDITIONAL INFORMATION

Please notice that Lp(a) values are reported in molar units (nmol/L). These units are recommended by professional society guidelines and expert opinion statements. Measured results and risk thresholds are higher than those generated using mass units (mg/dL). Cardiovascular risk increases starting at 75 nmol/L. Lp(a) \geq 125 nmol/L is considered a risk enhancing factor by the American Heart Association.

Received: 29 Jul 2021 10:18

Reported: 29 Jul 2021 10:18

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292