



Patient ID <b>SA00076703</b>	Patient Name <b>SAMPLEREPOR, B6PRO</b>	Birth Date <b>1966-09-09</b>	Gender <b>M</b>	Age <b>49</b>
Order Number <b>SA00076703</b>	Client Order Number <b>SA00076703</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>06 Jul 2016 09:00</b>		

**Vitamin B6 Profile (PLP and PA), P**

**Pyridoxal 5-Phosphate (PLP), P**

25 mcg/L

**1** SDL

Reference Value  
5-50

**Pyridoxic Acid (PA), P**

10 mcg/L

**1** SDL

Reference Value  
3-30

**Received:** 07 Jul 2016 11:03

**Reported:** 07 Jul 2016 11:54

Test Environment  
Standard Template

**Laboratory Notes**

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592