

Patient ID SA00143422	Patient Name SAMPLE REPORT, FPAB N	Birth Date 1974-12-31	Gender F	Age 46
Order Number SA00143422	Client Order Number SA00143422	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 17 Mar 2021 00:00		

Pantothenic Acid (B-5) Bioassay

Y017

100.00 ug/L
ADDITIONAL INFORMATION

 Adult Reference Range
 >10 Years: 37 to 147 ug/L

 Pediatric Reference Range
 ≤ 1 Year: 3.45 to 825 ug/L
 >1 Year to 10 Years: 3.45 to 229.2 ug/L

The performance characteristics of the listed assay was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one.

Received: 18 Mar 2021 11:45

Reported: 18 Mar 2021 11:46

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y017	BioAgilytix Diagnostics	1320 Soldiers Field Road, Boston, MA 02135		