

Patient ID <b>SA00117825</b>	Patient Name <b>TESTINGRNV, SAMPLEREPORT</b>	Birth Date <b>1982-06-29</b>	Gender <b>F</b>	Age <b>36</b>
Order Number <b>SA00117825</b>	Client Order Number <b>SA00117825</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>19 Feb 2019 14:00</b>		

**Methylmalonic Acid, QN, S**
**0.30 nmol/mL**
**Received:** 20 Feb 2019 14:29

**1 MCR**
**Reference Value**  
 $\leq 0.40$ 
**Reported:** 20 Feb 2019 14:43

Test Environment  
 Standard Template

**Laboratory Notes**

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292