



Patient ID <b>321</b>	Patient Name <b>TESTRNV, IMPLEMENTATION</b>	Birth Date <b>1970-11-13</b>	Gender <b>M</b>	Age <b>48</b>
Order Number <b>X100288667</b>	Client Order Number <b>X100288667</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>22 May 2019 06:00</b>		

**Alpha-2 Plasmin Inhibitor, P**

Result Name	Value	Unit	Reference Value	Performing Site
Alpha-2 Plasmin Inhibitor, P	90	%	80-140	<b>1 MCR</b>

**Received:** 29 May 2019 15:01

**Reported:** 29 May 2019 15:02

Test Environment  
EVP Template

**Laboratory Notes**

- 1** This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292