



|  |  |                                     |              |           |
|--|--|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00156854                       | Patient Name<br>TESTINGRNV, FETH2 NORMAL | Birth Date<br>1980-09-07            | Sex<br>M     | Age<br>42 |
| Order Number<br>SA00156854                     | Client Order Number<br>SA00156854        | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |  | Collected<br>15 Jan 2023 00:00      |              |           |

Feather Panel # 2

<0.10 kU/L

Class 0 (Negative <0.10)

ADDITIONAL INFORMATION

- Feather Panel 2:
- Goose feathers
- Chicken feathers
- Duck feathers
- Turkey feathers

Received: 17 Jan 2023 10:25

Reported: 17 Jan 2023 10:26

SDL  
Reference Value  
<0.70

Test Environment  
Standard Template

Performing Site Legend

| Code | Laboratory  | Address                                    | Lab Director                 | CLIA Certificate |
|------|---|--|------------------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55905 | William G. Morice M.D. Ph.D. | 24D1040592       |