

Patient ID SA00993343	Patient Name TESTINGRNV, REPORTS NORM	Birth Date 1976-08-16	Sex M	Age 45
Order Number SA00993343	Client Order Number SA00993343	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 31 Jul 2022 08:01		

Inhibin A and B, Tumor Marker, S

Inhibin A, Tumor Marker, S

1 SDL

<2.0 pg/mL
**Reference Value
<2.0**

The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the UniCel Dxl 800.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Inhibin A values are not interpretable in pregnant females for the investigation of malignant disease.

Inhibin B, S

2 SDL

<10 pg/mL
**Reference Value
<358**

ADDITIONAL INFORMATION

The testing method is a manual immunoenzymatic assay manufactured by Ansh Labs. Values obtained with different assay methods or kits may be different and cannot be used interchangeably. If this test is being ordered as a tumor marker, results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Received: 01 Aug 2022 10:27
Reported: 01 Aug 2022 10:31

Laboratory Notes

- This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.
- This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D.	24D1040592