



Patient ID SA00094221	Patient Name TESTINGRNV, CILINHANORMAL	Birth Date 1958-07-01	Gender M	Age 59
Order Number SA00094221	Client Order Number SA00094221	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 19 Jul 2017 16:05		

Inhibin A, Tumor Marker, S

1.9 pg/mL

1 **SDL**
Reference Value
<2.0

The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the UniCel Dxl 800.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Inhibin A values are not interpretable in pregnant females for the investigation of malignant disease.

Received: 20 Jul 2017 09:32

Reported: 20 Jul 2017 09:59

Test Environment Standard Template

Laboratory Notes

- 1** This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901