

Patient ID <b>SA00124521</b>	Patient Name <b>TESTINGRNV, TBPE NORM</b>	Birth Date <b>1985-10-02</b>	Gender <b>M</b>	Age <b>34</b>
Order Number <b>SA00124521</b>	Client Order Number <b>SA00124521</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7002670 Unknown Client Account</b>		Collected <b>03 Dec 2019 07:00</b>		

## Thyroxine-Binding Protein Electro

### Thyroxine-Binding Protein Electro

<b>TBG</b>	<b>SDL</b>	<b>Pre-Albumin</b>	<b>SDL</b>
11.0 mcg T4/dL	Reference Value 10.3-24.9	50.0 mcg T4/dL	Reference Value 48.8-70.4
<b>Albumin</b>	<b>SDL</b>		
15.0 mcg T4/dL	Reference Value 11.5-34.1		
<b>T4 (Thyroxine), Total Only, S</b>	<b>SDL</b>		
7.5 mcg/dL	Reference Value 4.5-11.7		
<b>Received:</b> 05 Dec 2019 10:01	<b>Reported:</b> 05 Dec 2019 10:33		

#### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592